	Application No.	Applicant(s)
Notice of Allowability		
	10/731,084 Examiner	OTAKE, HIDEYUKI Art Unit
		2816
•	Long Nguyen	
The MAILING DATE of this communication claims being allowable, PROSECUTION ON THE MER rewith (or previously mailed), a Notice of Allowance (PTOTICE OF ALLOWABILITY IS NOT A GRANT OF PATE the Office or upon petition by the applicant. See 37 CF	TOL-85) or other appropriate commu TENT RIGHTS. This application is s	unication will be mailed in due course. THIS
$igstyle$ This communication is responsive to $\underline{\textit{the amendme}}$	ent filed on 3/4/05.	
☐ The allowed claim(s) is/are <u>1-6</u> .		
☑ The drawings filed on 18 February 2004 are accept	ted by the Examiner.	
Acknowledgment is made of a claim for foreign p a) All b) Some* c) None of the: 1. Certified copies of the priority docume	nts have been received.	
2. Certified copies of the priority docume3. Copies of the certified copies of the pr	nts have been received in Application	on No d in this national stage application from the
		d III tills flational stage application from the
International Bureau (PCT Rule 17.2(a * Certified copies not received:	1)).	
·		by complying with the requirements
Applicant has THREE MONTHS FROM THE "MAILING noted below. Failure to timely comply will result in ABATHIS THREE-MONTH PERIOD IS NOT EXTENDABLI	NDONMENT of this application.	e a reply complying with the requirements
. A SUBSTITUTE OATH OR DECLARATION must INFORMAL PATENT APPLICATION (PTO-152) w	be submitted. Note the attached EX hich gives reason(s) why the oath c	AMINER'S AMENDMENT or NOTICE OF or declaration is deficient.
CORRECTED DRAWINGS (as "replacement sheet	ets") must be submitted.	
(a) ☐ including changes required by the Notice of D	raftsperson's Patent Drawing Revie	w (PTO-948) attached
1) 🔲 hereto or 2) 🗍 to Paper No./Mail Da	e	
(b) including changes required by the attached E	xaminer's Amendment / Comment o	or in the Office action of
Paper No./Mail Date Identifying indicia such as the application number (see each sheet. Replacement sheet(s) should be labeled as	37 CFR 1.84(c)) should be written on s such in the header according to 37 C	the drawings in the front (not the back) of FR 1.121(d).
 DEPOSIT OF and/or INFORMATION about t attached Examiner's comment regarding REQUIR 	he deposit of BIOLOGICAL MAT	ERIAL must be submitted. Note the
Attachment(s) . Notice of References Cited (PTO-892)	5. ☐ Notice of I	nformal Patent Application (PTO-152)
. ☐ Notice of Draftperson's Patent Drawing Review (P		Summary (PTO-413), ./Mail Date
. Information Disclosure Statements (PTO-1449 or F		s Amendment/Comment
		- Statement of Possons for Allowance
Paper No./Mail Date Examiner's Comment Regarding Requirement for	Deposit 8. 🔀 Examiner'	s Statement of Reasons for Allowance

Application/Control Number: 10/731,084

Art Unit: 2816

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Thomas Cole on 4/6/05.

The application has been amended as follows:

In The Specification

In the amendment to the specification filed on 3/4/05, line 6 of the amended paragraph, "in an active state." has been changed to --in an inactive state.--

In The Claims

Claim 1, line 5, "active" has been changed to --inactive--.

Claim 1, line 10, "states;" has been changed to --state;--.

Reasons For The Above Changes

The above changes have been made to correct the minor informalities in the specification and in the claims according to the Ex Parte Quayle Action on 1/4/05.

REASONS FOR ALLOWANCE

2. Claims 1-6 are allowed.

Claim 1 is allowed because the prior art of record fails to disclose a constant-voltage circuit including a constant-current portion, a reference voltage portion; and an output portion

Page 3

Application/Control Number: 10/731,084

Art Unit: 2816

with the recited connections and operations set forth therein. In particularly, the prior art of record fails to disclose or suggest the constant-voltage circuit including the reference voltage portion for outputting a first reference voltage in response to the first control signal while the start signal is in the inactive state and for outputting a second reference voltage higher than the first reference voltage in response to the first control signal while the start signal is in the active state; and the output portion for outputting a constant internal voltage in response to the second control signal.

Claims 2-6 are allowed because they depend on claim 1.

Conclusion

3. Any inquiry concerning this communication or earlier communications from the examiner should be directly to Examiner Long Nguyen whose telephone number is (571) 272-1753. The Examiner can normally be reached on Monday to Thursday from 8:20am to 6:50pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tim Callahan, can be reached at (571) 272-1740. The fax number for this group is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

April 6, 2005

LONG'NGUYEN
PRIMARY EXAMINER